

# WORLD TRADE ORGANIZATION

G/LIC/N/2/TPKM/2  
28 October 2003

(03-5709)

---

Committee on Import Licensing

Original: English

## AGREEMENT ON IMPORT LICENSING PROCEDURES

### Notification under Article 5

#### SEPARATE CUSTOMS TERRITORY OF TAIWAN, PENGHU, KINMEN AND MATSU

The following communication, dated 21 October 2003, has been received from the delegation of the Separate Customs Territory of Taiwan, Penghu, Kinmen and Matsu.

---

Pursuant to Articles 1.4(a) and 5 of the Agreement on Import Licensing Procedures, the Separate Customs Territory of Taiwan, Penghu, Kinmen and Matsu hereby notifies the Committee that its list of iron and steel products subject to import licensing procedures, which was notified to the WTO and circulated in document G/LIC/N/2/TPKM/1, has been revised. A revised list is attached. All other information as contained in the previous notification remains unchanged.

These revisions, announced in two stages on 21 February and 30 May 2003 by the Bureau of Foreign Trade (BOFT), Ministry of Economic Affairs (MOEA), became effective on 1 March and 1 June 2003, respectively. (The BOFT Announcement: Doc. No. Mao-Huo-Tze 092000021-0 on 21 February 2003 and The BOFT Announcement: Doc. No. Mao-Huo-Tze 092000670-0 on 30 May 2003.)

C.C.C. CODE	DESCRIPTION OF GOODS
7208.10.10.10-0	Flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, with patterns in relief, of a thickness of 4.75 mm or more
7208.10.10.20-8	Flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, with patterns in relief, of a thickness of 3 mm or more but less than 4.75 mm
7208.10.90.10-3	Flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, with patterns in relief, of a thickness of less than 3 mm
7208.10.90.90-6	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, with patterns in relief
7208.25.10.10-3	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, pickled, of a thickness of 4.75 mm or more but less than 6 mm, containing by weight 0.6% or more of carbon
7208.25.10.20-1	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, pickled, of a thickness of 6 mm or more, containing by weight 0.6% or more of carbon
7208.25.20.10-1	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, pickled, of a thickness of 4.75 mm or more but less than 6 mm, containing by weight 0.25% or more but less than 0.6% of carbon
7208.25.20.20-9	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, pickled, of a thickness of 6 mm or more, containing by weight 0.25% or more but less than 0.6% of carbon
7208.25.30.10-9	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, pickled, of a thickness of 4.75 mm or more but less than 6 mm, containing by weight less than 0.25% of carbon
7208.25.30.20-7	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, pickled, of a thickness of 6 mm or more, containing by weight less than 0.25% of carbon
7208.26.10.00-4	Other flat-rolled products of iron or non-alloy steel, pickled, of a thickness of 3 mm or more but less than 4.75 mm, hot-rolled, in coils, containing by weight 0.6% or more of carbon
7208.26.20.00-2	Other flat-rolled products of iron or non-alloy steel, pickled, of a thickness of 3 mm or more but less than 4.75 mm, hot-rolled, in coils, containing by weight 0.25% or more but less than 0.6% of carbon
7208.26.30.00-0	Other flat-rolled products of iron or non-alloy steel, pickled, of a thickness of 3 mm or more but less than 4.75 mm, hot-rolled, in coils, containing by weight less than 0.25% of carbon
7208.27.10.10-1	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, pickled, of a thickness of 1.5 mm or more but less than 3 mm, containing by weight 0.6% or more of carbon
7208.27.10.20-9	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, pickled, of a thickness of less than 1.5 mm, containing by weight 0.6% or more of carbon
7208.27.20.10-9	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, pickled, of a thickness of 1.5 mm or more but less than 3 mm, containing by weight 0.25% or more but less than 0.6% of carbon
7208.27.20.20-7	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, pickled, of a thickness of less than 1.5 mm, containing by weight 0.25% or more but less than 0.6% of carbon
7208.27.30.10-7	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, pickled, of a thickness of 1.5 mm or more but less than 3 mm, containing by weight less than 0.25% of carbon
7208.27.30.20-5	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, pickled, of a thickness of less than 1.5 mm, containing by weight less than 0.25% of carbon
7208.36.10.00-2	Other flat-rolled products of iron or non-alloy steel, of a thickness exceeding 10 mm, hot-rolled, in coils, containing by weight 0.6% or more
7208.36.20.00-0	Other flat-rolled products of iron or non-alloy steel, of a thickness exceeding 10 mm, hot-rolled, in coils, containing by weight 0.25% or more but less than 0.6% of carbon
7208.36.30.00-8	Other flat-rolled products of iron or non-alloy steel, of a thickness exceeding 10 mm, hot-rolled, in coils, containing by weight less than 0.25% of carbon

C.C.C. CODE	DESCRIPTION OF GOODS
7208.37.10.10-9	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, of a thickness of 4.75 mm or more but not exceeding 6 mm, containing by weight 0.6% or more of carbon
7208.37.10.20-7	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, of a thickness of 6 mm or more but not exceeding 10 mm, containing by weight 0.6% or more of carbon
7208.37.20.10-7	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, of a thickness of 4.75 mm or more but not exceeding 6 mm, containing by weight 0.25% or more but less than 0.6% of carbon
7208.37.20.20-5	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, of a thickness of 6 mm or more but not exceeding 10 mm, containing by weight 0.25% or more but less than 0.6% of carbon
7208.37.30.10-5	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, of a thickness of 4.75 mm or more but not exceeding 6 mm, containing by weight less than 0.25% of carbon
7208.37.30.20-3	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, of a thickness of 6 mm or more but not exceeding 10 mm, containing by weight less than 0.25% of carbon
7208.38.10.00-0	Other flat-rolled products of iron or non-alloy steel, of a thickness of 3 mm or more but less than 4.75 mm, hot-rolled, in coils, containing by weight 0.6% or more of carbon
7208.38.20.00-8	Other flat-rolled products of iron or non-alloy steel, of a thickness of 3 mm or more but less than 4.75 mm, hot-rolled, in coils, containing by weight 0.25% or more but less than 0.6% of carbon
7208.38.30.00-6	Other flat-rolled products of iron or non-alloy steel, of a thickness of 3 mm or more but less than 4.75 mm, hot-rolled, in coils, containing by weight less than 0.25% of carbon
7208.39.10.10-7	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, of a thickness of 1.5 mm or more but less than 3 mm, containing by weight 0.6% or more of carbon
7208.39.10.20-5	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, of a thickness of less than 1.5 mm, containing by weight 0.6% or more of carbon
7208.39.20.10-5	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, of a thickness of 1.5 mm or more but less than 3 mm, containing by weight 0.25% or more but less than 0.6% of
7208.39.20.20-3	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, of a thickness of less than 1.5 mm, containing by weight 0.25% or more but less than 0.6% of carbon
7208.39.30.10-3	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, of a thickness of 1.5 mm or more but less than 3 mm, containing by weight less than 0.25% of carbon
7208.39.30.20-1	Other flat-rolled products of iron or non-alloy steel, hot-rolled, in coils, of a thickness of less than 1.5 mm, containing by weight less than 0.25% of carbon
7208.40.10.00-6	Flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, of a thickness of 50 mm or more, with patterns in relief
7208.40.21.10-1	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, with patterns in relief, of a thickness of 4.75 mm or more but less than 50 mm
7208.40.21.20-9	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, with patterns in relief, of a thickness of 3 mm or more but less than 4.75 mm
7208.40.29.10-3	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, with patterns in relief, of a thickness of less than 3 mm
7208.40.29.90-6	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, with patterns in relief
7208.51.10.10-0	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, of a thickness of 50 mm or more, containing by weight 0.6% or more of carbon
7208.51.10.20-8	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, of a thickness of 50 mm or more, containing by weight 0.25% or more but less than 0.6% of carbon
7208.51.10.30-6	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, of a thickness of 50 mm or more, containing by weight less than 0.25% of carbon

C.C.C. CODE	DESCRIPTION OF GOODS
7208.51.20.00-0	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, of a thickness of less than 50 mm but exceeding 10 mm, containing by weight 0.6% or more of carbon
7208.51.30.00-8	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, of a thickness of less than 50 mm but exceeding 10 mm, containing by weight 0.25% or more but less than 0.6% of carbon
7208.51.40.00-6	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, of a thickness of less than 50 mm but exceeding 10 mm, containing by weight less than 0.25% of carbon
7208.52.10.10-9	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, of a thickness of 4.75 mm or more but not exceeding 6 mm, containing by weight 0.6% or more of carbon
7208.52.10.20-7	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, of a thickness of 6 mm or more but not exceeding 10 mm, containing by weight 0.6% or more of carbon
7208.52.20.10-7	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, of a thickness of 4.75 mm or more but not exceeding 6 mm, containing by weight 0.25% or more but less than 0.6% of carbon
7208.52.20.20-5	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, of a thickness of 6 mm or more but not exceeding 10 mm, containing by weight 0.25% or more but less than 0.6% of carbon
7208.52.30.10-5	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, of a thickness of 4.75 mm or more but not exceeding 6 mm, containing by weight less than 0.25% of carbon
7208.52.30.20-3	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, of a thickness of 6 mm or more but not exceeding 10 mm, containing by weight less than 0.25% of carbon
7208.53.10.00-0	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, of a thickness of 3 mm or more, but less than 4.75 mm, containing by weight 0.6% or more of carbon
7208.53.20.00-8	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, of a thickness of 3 mm or more, but less than 4.75 mm, containing by weight 0.25% or more but less than 0.6% of carbon
7208.53.30.00-6	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, of a thickness of 3 mm or more, but less than 4.75 mm, containing by weight less than 0.25% of carbon
7208.54.10.10-7	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, of a thickness of 1.5 mm or more but less than 3 mm, containing by weight 0.6% or more of carbon
7208.54.10.20-5	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, of a thickness of less than 1.5 mm, containing by weight 0.6% or more of carbon
7208.54.20.10-5	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, of a thickness of 1.5 mm or more but less than 3 mm, containing by weight 0.25% or more but less than 0.6% of carbon
7208.54.20.20-3	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, of a thickness of less than 1.5 mm, containing by weight 0.25% or more but less than 0.6% of carbon
7208.54.30.10-3	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, of a thickness of 1.5 mm or more but less than 3 mm, containing by weight less than 0.25% of carbon
7208.54.30.20-1	Other flat-rolled products of iron or non-alloy steel, hot-rolled, not in coils, of a thickness of less than 1.5 mm, containing by weight less than 0.25% of carbon
7208.90.10.00-5	Other flat-rolled products of iron or non-alloy steel, hot-rolled, of a width of 600 mm or more, of a thickness of 50 mm or more
7208.90.21.00-2	Other flat-rolled products of iron or non-alloy steel, hot-rolled, of a width of 600 mm or more, of a thickness of 3 mm or more but less than 50 mm, containing by weight 0.6% or more of carbon
7208.90.22.00-1	Other flat-rolled products of iron or non-alloy steel, hot-rolled, of a width of 600 mm or more, of a thickness of less than 3 mm, containing by weight 0.6% or more of carbon
7208.90.30.00-1	Other flat-rolled products of iron or non-alloy steel, hot-rolled, of a width of 600 mm or more, containing by weight 0.25% or more but less than 0.6% of carbon

C.C.C. CODE	DESCRIPTION OF GOODS
7208.90.40.00-9	Other flat-rolled products of iron or non-alloy steel, hot-rolled, of a width of 600 mm or more, containing by weight less than 0.25% of carbon
7209.15.10.00-6	Flat-rolled products of iron or non-alloy steel, cold-rolled (cold-reduced) , in coils of a thickness of 3 mm or more, containing by weight 0.6% or more of carbon
7209.15.20.00-4	Flat-rolled products of iron or non-alloy steel, cold-rolled (cold-reduced) , in coils, of a thickness of 3 mm or more, containing by weight 0.25% or more but less than 0.6% of carbon
7209.15.30.00-2	Flat-rolled products of iron or non-alloy steel, cold-rolled (cold-reduced) , in coils, of a thickness of 3 mm or more, containing by weight less than 0.25% of carbon
7209.16.10.00-5	Flat-rolled products of iron or non-alloy steel, of a thickness exceeding 1 mm but less than 3 mm, cold-rolled (cold-reduced), in coils, containing by weight 0.6% or more of carbon
7209.16.20.00-3	Flat-rolled products of iron or non-alloy steel, of a thickness exceeding 1 mm but less than 3 mm, cold-rolled (cold-reduced), in coils, containing by weight 0.25% or more but less than 0.6% of carbon
7209.16.30.00-1	Flat-rolled products of iron or non-alloy steel, of a thickness exceeding 1 mm but less than 3 mm, cold-rolled (cold-reduced), in coils, containing by weight less than 0.25% of carbon
7209.17.10.00-4	Flat-rolled products of iron or non-alloy steel, of a thickness of 0.5 mm or more but not exceeding 1 mm, cold-rolled (cold-reduced), in coils, containing by weight 0.6% or more of carbon
7209.17.20.00-2	Flat-rolled products of iron or non-alloy steel, of a thickness of 0.5 mm or more but not exceeding 1 mm, cold-rolled (cold-reduced), in coils, containing by weight 0.25% or more but less than 0.6% of carbon
7209.17.30.00-0	Flat-rolled products of iron or non-alloy steel, of a thickness of 0.5 mm or more but not exceeding 1 mm, cold-rolled (cold-reduced), in coils, containing by weight less than 0.25% of carbon
7209.18.10.10-1	Flat-rolled products of iron or non-alloy steel, cold-rolled (cold-reduced), in coils, of a thickness of 0.32 mm or more but less than 0.5 mm, containing by weight 0.6% or more of carbon
7209.18.10.20-9	Flat-rolled products of iron or non-alloy steel, cold-rolled (cold-reduced), in coils, of a thickness of less than 0.32 mm, containing by weight 0.6% or more of carbon
7209.18.20.10-9	Flat-rolled products of iron or non-alloy steel, cold-rolled (cold-reduced), in coils, of a thickness of 0.32 mm or more but less than 0.5 mm, containing by weight 0.25% or more but less than 0.6% of carbon
7209.18.20.20-7	Flat-rolled products of iron or non-alloy steel, cold-rolled (cold-reduced), in coils, of a thickness of less than 0.32 mm, containing by weight 0.25% or more but less than 0.6% of carbon
7209.18.30.10-7	Flat-rolled products of iron or non-alloy steel, cold-rolled (cold-reduced), in coils, of a thickness of 0.32 mm or more but less than 0.5 mm, containing by weight less than 0.25% of carbon
7209.18.30.20-5	Flat-rolled products of iron or non-alloy steel, cold-rolled (cold-reduced), in coils, of a thickness of less than 0.32 mm, containing by weight less than 0.25% of carbon
7209.25.10.00-4	Flat-rolled products of iron or non-alloy steel, cold-rolled (cold-reduced) , not in coils, of a thickness of 3 mm or more, containing by weight 0.6% or more of carbon
7209.25.20.00-2	Flat-rolled products of iron or non-alloy steel, cold-rolled (cold-reduced) , not in coils, of a thickness of 3 mm or more, containing by weight 0.25% or more but less than 0.6% of carbon
7209.25.30.00-0	Flat-rolled products of iron or non-alloy steel, cold-rolled (cold-reduced) , not in coils, of a thickness of 3 mm or more, containing by weight less than 0.25% of carbon
7209.26.10.00-3	Flat-rolled products of iron or non-alloy steel, of a thickness exceeding 1 mm but less than 3 mm, cold-rolled (cold-reduced), not in coils, containing by weight 0.6% or more of carbon
7209.26.20.00-1	Flat-rolled products of iron or non-alloy steel, of a thickness exceeding 1 mm but less than 3 mm, cold-rolled (cold-reduced), not in coils, containing by weight 0.25% or more but less than 0.6% of carbon

C.C.C. CODE	DESCRIPTION OF GOODS
7209.26.30.00-9	Flat-rolled products of iron or non-alloy steel, of a thickness exceeding 1 mm but less than 3 mm, cold-rolled (cold-reduced), not in coils, containing by weight less than 0.25% of carbon
7209.27.10.00-2	Flat-rolled products of iron or non-alloy steel, of a thickness of 0.5 mm or more but not exceeding 1 mm, cold-rolled (cold-reduced), not in coils, containing by weight 0.6% or more of carbon
7209.27.20.00-0	Flat-rolled products of iron or non-alloy steel, of a thickness of 0.5 mm or more but not exceeding 1 mm, cold-rolled (cold-reduced), not in coils, containing by weight 0.25% or more but less than 0.6% of carbon
7209.27.30.00-8	Flat-rolled products of iron or non-alloy steel, of a thickness of 0.5 mm or more but not exceeding 1 mm, cold-rolled (cold-reduced), not in coils, containing by weight less than 0.25% of carbon
7209.28.10.10-9	Flat-rolled products of iron or non-alloy steel, cold-rolled (cold-reduced), not in coils, of a thickness of 0.32 mm or more but less than 0.5 mm, containing by weight 0.6% or more of carbon
7209.28.10.20-7	Flat-rolled products of iron or non-alloy steel, cold-rolled (cold-reduced), not in coils, of a thickness of less than 0.32 mm, containing by weight 0.6% or more of carbon
7209.28.20.10-7	Flat-rolled products of iron or non-alloy steel, cold-rolled (cold-reduced), not in coils, of a thickness of 0.32 mm or more but less than 0.5 mm, containing by weight 0.25% or more but less than 0.6% of carbon
7209.28.20.20-5	Flat-rolled products of iron or non-alloy steel, cold-rolled (cold-reduced), not in coils, of a thickness of less than 0.32 mm, containing by weight 0.25% or more but less than 0.6% of carbon
7209.28.30.10-5	Flat-rolled products of iron or non-alloy steel, cold-rolled (cold-reduced), not in coils, of a thickness of 0.32 mm or more but less than 0.5 mm, containing by weight less than 0.25% of carbon
7209.28.30.20-3	Flat-rolled products of iron or non-alloy steel, cold-rolled (cold-reduced), not in coils, of a thickness of less than 0.32 mm, containing by weight less than 0.25% of carbon
7209.90.10.00-4	Other flat-rolled products of iron or non-alloy steel, cold-rolled (cold-reduced) containing by weight 0.6% or more of carbon
7209.90.21.00-1	Other flat-rolled products of iron or non-alloy steel, cold-rolled (cold-reduced), of a thickness of 0.5 mm or more, but less than 3 mm, containing by weight 0.25% or more but less than 0.6% of carbon
7209.90.29.00-3	Other flat-rolled products of iron or non-alloy steel, cold-rolled (cold-reduced), containing by weight 0.25% or more but less than 0.6% of carbon
7209.90.31.00-9	Other flat-rolled products of iron or non-alloy steel, cold-rolled (cold-reduced), of a thickness of 0.5 mm or more, but less than 3 mm, containing by weight less than 0.25% of carbon
7209.90.39.00-1	Other flat-rolled products of iron or non-alloy steel, cold-rolled (cold-reduced), containing by weight less than 0.25% of carbon
7210.11.00.00-9	Flat-rolled products of iron or non-alloy steel, plated or coated with tin, of a thickness of 0.5 mm or more
7210.12.00.00-8	Flat-rolled products of iron or non-alloy steel, plated or coated with tin, of a thickness of less than 0.5 mm
7210.20.00.00-8	Flat-rolled products of iron or non-alloy steel, plated or coated with lead, including terne-plate
7210.30.00.10-4	Steel of electrolytically plated or coated with pure zinc
7210.30.00.20-2	Steel of electrolytically plated or coated with alloy of zinc-nickel
7210.30.00.90-7	Steel of electrolytically plated or coated with other alloy of zinc
7210.41.00.00-3	Flat-rolled products of iron or non-alloy steel, otherwise plated or coated with zinc, corrugated
7210.49.00.11-2	Flat-rolled products of iron or non-alloy steel, plated or coated with pure zinc (not corrugated), based on cold-rolled

C.C.C. CODE	DESCRIPTION OF GOODS
7210.49.00.12-1	Flat-rolled products of iron or non-alloy steel, plated or coated with zinc-iron alloy (not corrugated), based on cold-rolled
7210.49.00.13-0	Flat-rolled products of iron or non-alloy steel, plated or coated with zinc-nickel alloy (not corrugated), based on cold-rolled
7210.49.00.14-9	Flat-rolled products of iron or non-alloy steel, plated or coated with zinc-aluminium alloy, containing 50% or more of zinc, based on cold-rolled
7210.49.00.19-4	Other flat-rolled products of iron or non-alloy steel, plated or coated with zinc (not corrugated), based on cold-rolled
7210.49.00.21-0	Flat-rolled products of iron or non-alloy steel, plated or coated with pure zinc (not corrugated), based on hot-rolled
7210.49.00.22-9	Flat-rolled products of iron or non-alloy steel, plated or coated with zinc-iron alloy (not corrugated), based on hot-rolled
7210.49.00.23-8	Flat-rolled products of iron or non-alloy steel, plated or coated with zinc-nickel alloy (not corrugated), based on hot-rolled
7210.49.00.24-7	Flat-rolled products of iron or non-alloy steel, plated or coated with zinc-aluminum alloy, containing 50% or more of zinc (not corrugated), based on hot-rolled
7210.49.00.29-2	Other flat-rolled products of iron or non-alloy steel, plated or coated with zinc (not corrugated), based on hot-rolled
7210.50.00.00-1	Flat-rolled products of iron or non-alloy steel, plated or coated with chromium oxides or with chromium and chromium oxides
7210.61.00.00-8	Flat-rolled products of iron or non-alloy steel, plated or coated with aluminium-zinc alloys
7210.69.00.00-0	Other flat-rolled products of iron or non-alloy steel, plated or coated with aluminium
7210.70.10.00-5	Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50Hz and magnetic flux density of 1.5 Wb/m <sup>2</sup> , the iron loss 6.5 W/kg or more
7210.70.20.00-3	Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m <sup>2</sup> , the iron loss 5 W/kg or more but less than 6.5 W/kg
7210.70.30.00-1	Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50Hz and magnetic flux density of 1.5 Wb/m <sup>2</sup> , the iron loss less than 5 W/kg
7210.70.90.10-6	Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, based on hot-dipped with zinc or zinc-alloy
7210.70.90.20-4	Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, based on hot-dipped with zinc alum
7210.70.90.30-2	Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, based on electrolytically plated or coated with zinc or zinc-alloy
7210.70.90.40-0	Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, based on cold-rolled
7210.70.90.90-9	Other flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics
7210.90.10.00-1	Other flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m <sup>2</sup> , the iron loss 6.5 W/kg or more
7210.90.20.00-9	Other flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m <sup>2</sup> , the iron loss 5 W/kg and more but less than 6.5 W/kg
7210.90.30.00-7	Other flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m <sup>2</sup> , the iron loss less than 5 W/kg

C.C.C. CODE	DESCRIPTION OF GOODS
7210.90.90.00-4	Other flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated
7211.13.10.00-4	Flat-rolled products of iron or non-alloy steel, hot-rolled, rolled on four faces or in a closed box pass, of a width exceeding 150 mm and of a thickness of 50 mm or more, not in coils and without patterns in relief, not clad, plated or coated
7211.13.20.10-0	Flat-rolled products of iron or non-alloy steel, hot-rolled, rolled on four faces or in a closed box pass, of a width exceeding 150 mm and of a thickness not less than 4 mm but not exceeding 6 mm, not in coils and without patterns in relief, not clad, plated or coated, containing by weight 0.6% or more of carbon
7211.13.20.20-8	Flat-rolled products of iron or non-alloy steel, hot-rolled, rolled on four faces or in a closed box pass, of a width exceeding 150 mm and of a thickness 6 mm or more but less than 50 mm, not in coils and without patterns in relief, not clad, plated or coated, containing by weight 0.6% or more of carbon
7211.13.30.10-8	Flat-rolled products of iron or non-alloy steel, hot-rolled, rolled on four faces or in a closed box pass, of a width exceeding 150 mm and of a thickness not less than 4 mm but not exceeding 6 mm, not in coils and without patterns in relief, not clad, plated or coated, containing by weight 0.25% or more but less than 0.6% of carbon
7211.13.30.20-6	Flat-rolled products of iron or non-alloy steel, hot-rolled, rolled on four faces or in a closed box pass, of a width exceeding 150 mm and of a thickness 6 mm or more but less than 50 mm, not in coils and without patterns in relief, not clad, plated or coated, containing by weight 0.25% or more but less than 0.6% of carbon
7211.13.40.10-6	Flat-rolled products of iron or non-alloy steel, hot-rolled, rolled on four faces or in a closed box pass, of a width exceeding 150 mm and of a thickness not less than 4 mm but not exceeding 6 mm, not in coils and without patterns in relief, not clad, plated or coated, containing by weight less than 0.25% of carbon
7211.13.40.20-4	Flat-rolled products of iron or non-alloy steel, hot-rolled, rolled on four faces or in a closed box pass, of a width exceeding 150 mm and of a thickness 6 mm or more but less than 50 mm, not in coils and without patterns in relief, not clad, plated or coated, containing by weight less than 0.25% of carbon
7211.14.10.10-1	Other flat-rolled products of iron or non-alloy steel, hot-rolled, of a thickness of 50 mm or more, not clad, plated or coated, containing by weight 0.6% or more of carbon
7211.14.10.20-9	Other flat-rolled products of iron or non-alloy steel, hot-rolled, of a thickness of 50 mm or more, not clad, plated or coated, containing by weight 0.25% or more but less than 0.6% of carbon
7211.14.10.30-7	Other flat-rolled products of iron or non-alloy steel, hot-rolled, of a thickness of 50 mm or more, not clad, plated or coated, containing by weight less than 0.25% of carbon
7211.14.20.10-9	Other flat-rolled products of iron or non-alloy steel, hot-rolled, of a thickness of 4.75 mm or more but not exceeding 6 mm, not clad, plated or coated, containing by weight 0.6% or more of carbon
7211.14.20.20-7	Other flat-rolled products of iron or non-alloy steel, hot-rolled, of a thickness exceeding 6 mm but less than 50 mm, not clad, plated or coated, containing by weight 0.6% or more of carbon
7211.14.30.10-7	Other flat-rolled products of iron or non-alloy steel, hot-rolled, of a thickness of 4.75 mm or more but not exceeding 6 mm, not clad, plated or coated, containing by weight 0.25% or more but less than 0.6% carbon
7211.14.30.20-5	Other flat-rolled products of iron or non-alloy steel, hot-rolled, of a thickness exceeding 6 mm but less than 50 mm, not clad, plated or coated, containing by weight 0.25% or more but less than 0.6% of carbon
7211.14.40.10-5	Other flat-rolled products of iron or non-alloy steel, hot-rolled, of a thickness of 4.75 mm or more but not exceeding 6 mm, not clad, plated or coated, containing by weight less than 0.25% of carbon
7211.14.40.20-3	Other flat-rolled products of iron or non-alloy steel, hot-rolled, of a thickness exceeding 6 mm but less than 50 mm, not clad, plated or coated, containing by weight less than 0.25% of carbon



C.C.C. CODE	DESCRIPTION OF GOODS
7211.19.10.00-8	Other flat-rolled products of iron or non-alloy steel, hot-rolled, of a thickness of 3 mm or more but less than 4.75 mm, not clad, plated or coated, containing by weight 0.6% or more of carbon
7211.19.20.00-6	Other flat-rolled products of iron or non-alloy steel, hot-rolled, of a thickness of 3 mm or more but less than 4.75 mm, not clad, plated or coated, containing by weight 0.25% or more but less than 0.6% of carbon
7211.19.30.00-4	Other flat-rolled products of iron or non-alloy steel, hot-rolled, of a thickness of 3 mm or more but less than 4.75 mm, not clad, plated or coated, containing by weight less than 0.25% of carbon
7211.19.40.00-2	Other flat-rolled products of iron or non-alloy steel, hot-rolled, of a thickness of less than 3 mm, not clad, plated or coated, containing by weight 0.6% or more of carbon
7211.19.50.00-9	Other flat-rolled products of iron or non-alloy steel, hot-rolled, of a thickness of less than 3 mm, not clad, plated or coated, containing by weight 0.25% or more but less than 0.6% of carbon
7211.19.60.00-7	Other flat-rolled products of iron or non-alloy steel, hot-rolled, of a thickness of less than 3 mm, not clad, plated or coated, containing by weight less than 0.25% of carbon
7211.23.10.10-0	Flat-rolled products of iron or non-alloy steel, not further worked than cold-rolled (cold-reduced), of a thickness of 0.5 mm or more but less than 3 mm, not clad, plated or coated, containing by weight less than 0.25% of carbon
7211.23.10.20-8	Flat-rolled products of iron or non-alloy steel, not further worked than cold-rolled (cold-reduced), of a thickness of 0.32 mm or more but less than 0.5 mm, not clad, plated or coated, containing by weight less than 0.25% of carbon
7211.23.10.30-6	Flat-rolled products of iron or non-alloy steel, not further worked than cold-rolled (cold-reduced), of a thickness of less than 0.32 mm, not clad, plated or coated, containing by weight less than 0.25% of carbon
7211.23.20.00-0	Flat-rolled products of iron or non-alloy steel, not further worked than cold-rolled (cold-reduced), of a thickness of 3 mm or more, not clad, plated or coated, containing by weight less than 0.25% of carbon
7211.29.11.10-3	Other flat-rolled products of iron or non-alloy steel, not further worked than cold-rolled (cold-reduced), of a thickness of 0.5 mm or more but less than 3 mm, not clad, plated or coated, containing by weight 0.25% or more but less than 0.6% of carbon
7211.29.11.20-1	Other flat-rolled products of iron or non-alloy steel, not further worked than cold-rolled (cold-reduced), of a thickness of 0.32 mm or more but less than 0.5 mm, not clad, plated or coated, containing by weight 0.25% or more but less than 0.6% of carbon
7211.29.11.30-9	Other flat-rolled products of iron or non-alloy steel, not further worked than cold-rolled (cold-reduced), of a thickness of less than 0.32 mm, not clad, plated or coated, containing by weight 0.25% or more but less than 0.6% of carbon
7211.29.12.00-4	Other flat-rolled products of iron or non-alloy steel, not further worked than cold-rolled (cold-reduced), not clad, plated or coated, of a thickness of 3 mm or more, containing by weight 0.25% or more but less than 0.6% of carbon
7211.29.20.10-2	Other flat-rolled products of iron or non-alloy steel, not further worked than cold-rolled (cold-reduced), not clad, plated or coated, of a thickness of 3 mm or more, containing by weight 0.6% or more of carbon
7211.29.20.20-0	Other flat-rolled products of iron or non-alloy steel, not further worked than cold-rolled (cold-reduced), of a thickness of 0.5 mm or more but less than 3 mm, not clad, plated or coated, containing by weight 0.6% or more of carbon
7211.29.20.30-8	Other flat-rolled products of iron or non-alloy steel, not further worked than cold-rolled (cold-reduced), of a thickness of 0.32 mm or more but less than 0.5 mm, not clad, plated or coated, containing by weight 0.6% or more of carbon
7211.29.20.40-6	Other flat-rolled products of iron or non-alloy steel, not further worked than cold-rolled (cold-reduced), of a thickness of less than 0.32 mm, not clad, plated or coated, containing by weight 0.6% or more of carbon
7211.90.10.00-0	Other flat-rolled products of iron or non-alloy steel, further worked than hot and cold-rolled, not clad, plated or coated, of a thickness of less than 0.5 mm

C.C.C. CODE	DESCRIPTION OF GOODS
7211.90.20.00-8	Other flat-rolled products of iron or non-alloy steel, further worked than hot and cold-rolled, not clad, plated or coated, of a thickness of 0.5 mm or more but less than 3 mm
7211.90.30.00-6	Other flat-rolled products of iron or non-alloy steel, further worked than hot and cold-rolled, not clad, plated or coated, of a thickness of 3 mm or more but less than 50 mm
7211.90.40.00-4	Other flat-rolled products of iron or non-alloy steel, further worked than hot and cold-rolled, not clad, plated or coated, of a thickness of 50 mm or more.
7212.10.00.00-8	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, plated or coated with tin
7212.20.00.00-6	Flat-rolled products of iron or non-alloy steel, of electrolytically plated or coated with zinc
7212.30.00.10-2	Flat-rolled products of iron or non-alloy steel, based on cold-rolled, otherwise plated or coated with zinc or zinc-alloy
7212.30.00.20-0	Flat-rolled products of iron or non-alloy steel, based on hot-rolled, otherwise plated or coated with zinc or zinc-alloy
7212.40.10.00-0	Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m <sup>2</sup> , the iron loss 6.5 W/kg or more
7212.40.20.00-8	Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m <sup>2</sup> , the iron loss 5 W/kg or more but less than 6.5 W/kg
7212.40.30.00-6	Flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m <sup>2</sup> , the iron loss less than 5W/kg
7212.40.90.00-3	Other flat-rolled products of iron or non-alloy steel, painted, varnished or coated with plastics
7212.50.10.00-7	Flat-rolled products of iron or non-alloy steel, otherwise plated or coated, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m <sup>2</sup> , the iron loss 6.5 W/kg or more
7212.50.20.00-5	Flat-rolled products of iron or non-alloy steel, otherwise plated or coated, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m <sup>2</sup> , the iron loss 5 W/kg and more but less than 6.5 W/kg
7212.50.30.00-3	Flat-rolled products of iron or non-alloy steel, otherwise plated or coated, with electrical characteristics, at frequency of 50 Hz and magnetic flux density of 1.5 Wb/m <sup>2</sup> , the iron loss less than 5 W/kg
7212.50.90.00-0	Flat-rolled products of iron or non-alloy steel, otherwise plated or coated
7212.60.00.00-7	Flat-rolled products of iron or non-alloy steel, of clad
7213.10.00.00-7	Bars and rods, hot-rolled, of iron or non-alloy steel, containing indentations, ribs, grooves or other deformations produced during the rolling process
7213.20.00.11-2	Other bars and rods, hot-rolled of iron or non-alloy steel, of free-cutting steel, containing by weight 0.10% or more of lead and less than 14 mm in diameter
7213.20.00.12-1	Other bars and rods, hot-rolled of iron or non-alloy steel, of free-cutting steel, containing by weight 0.10% or more of lead and 14 mm or more but less than 42 mm in diameter
7213.20.00.13-0	Other bars and rods, hot-rolled of iron or non-alloy steel, of free-cutting steel, containing by weight 0.10% or more of lead and 42 mm or more in diameter
7213.20.00.21-0	Other bars and rods, hot-rolled of iron or non-alloy steel, of free-cutting steel, containing by weight 0.08% or more of sulphur and less than 14 mm in diameter
7213.20.00.22-9	Other bars and rods, hot-rolled, of iron or non-alloy steel, of free-cutting steel, containing by weight 0.08% or more of sulphur and 14 mm or more but less than 42 mm in diameter
7213.20.00.23-8	Other bars and rods, hot-rolled, of iron or non-alloy steel, of free-cutting steel, containing by weight 0.08% or more of sulphur and 42 mm or more in diameter
7213.20.00.91-5	Other bars and rods, hot-rolled, of iron or non-alloy steel, of free-cutting steel, of less than 14 mm in diameter

C.C.C. CODE	DESCRIPTION OF GOODS
7213.20.00.92-4	Other bars and rods, hot-rolled, of iron or non-alloy steel, of free-cutting steel, of 14 mm or more but less than 42 mm in diameter
7213.20.00.93-3	Other bars and rods, hot-rolled, of iron or non-alloy steel, of free-cutting steel, of 42 mm or more
7213.91.10.00-7	Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel, containing by weight less than 0.25% of carbon, of circular cross-section measuring less than 14 mm in diameter
7213.91.20.00-5	Bars and rods, hot-rolled, of iron or non-alloy steel, of circular cross-section measuring less than 14 mm in diameter, containing by weight 0.25% or more but less than 0.6% of carbon
7213.91.30.00-3	Bars and rods, hot-rolled, of high carbon steel, of circular cross-section measuring less than 14 mm in diameter, containing by weight 0.6% or more of carbon
7213.99.10.10-7	Other bars and rods, in irregularly wound coils, of iron or non-alloy steel, of circular cross-section measuring 14 mm or more but less than 42 mm in diameter, containing by weight less than 0.25% of carbon
7213.99.10.20-5	Other bars and rods, in irregularly wound coils, of iron or non-alloy steel, of circular cross-section measuring 42 mm or more in diameter, containing by weight less than 0.25% of carbon
7213.99.10.90-0	Other bars and rods, in irregularly wound coils, of iron or non-alloy steel, containing by weight less than 0.25% of carbon
7213.99.20.10-5	Other bars and rods, in irregularly wound coils, of iron or non-alloy steel, of circular cross-section measuring 14 mm or more but less than 42 mm in diameter, containing by weight 0.25% or more but less than 0.6% of carbon
7213.99.20.20-3	Other bars and rods, in irregularly wound coils, of iron or non-alloy steel, of circular cross-section measuring 42 mm or more in diameter, containing by weight 0.25% or more but less than 0.6% of carbon
7213.99.20.90-8	Other bars and rods, in irregularly wound coils, of iron or non-alloy steel, containing by weight 0.25% or more but less than 0.6% of carbon
7213.99.30.10-3	Other bars and rods, in irregularly wound coils, of iron or non-alloy steel, of circular cross-section measuring 14 mm or more but less than 42 mm in diameter, containing by weight 0.6% or more of carbon
7213.99.30.20-1	Other bars and rods, in irregularly wound coils, of iron or non-alloy steel, of circular cross-section measuring 42 mm or more in diameter, containing by weight 0.6% or more of carbon
7213.99.30.90-6	Other bars and rods, in irregularly wound coils, of iron or non-alloy steel, containing by weight 0.6% or more of carbon
7214.20.00.00-4	Other bars and rods, of iron or non-alloy steel, containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling
7214.30.00.11-9	Other bars and rods of free-cutting steel, containing by weight 0.10% or more of lead and less than 14 mm in diameter
7214.30.00.12-8	Other bars and rods of free-cutting steel, containing by weight 0.10% or more of lead and 14 mm or more but less than 42 mm in diameter
7214.30.00.13-7	Other bars and rods of free-cutting steel, containing by weight 0.10% or more of lead and 42 mm or more in diameter
7214.30.00.21-7	Other bars and rods of free-cutting steel, containing by weight 0.08% or more of sulphur and less than 14 mm in diameter
7214.30.00.22-6	Other bars and rods of free-cutting steel, containing by weight 0.08% or more of sulphur and 14 mm or more but less than 42 mm in diameter
7214.30.00.23-5	Other bars and rods of free-cutting steel, containing by weight 0.08% or more of sulphur and 42 mm or more in diameter
7214.30.00.91-2	Other bars and rods of free-cutting steel, of circular cross-section measuring less than 14 mm in diameter
7214.30.00.92-1	Other bars and rods of free-cutting steel, of circular cross-section measuring 14 mm or more but less than 42 mm in diameter

C.C.C. CODE	DESCRIPTION OF GOODS
7214.30.00.93-0	Other bars and rods of free-cutting steel, of circular cross-section measuring 42 mm or more in diameter
7214.91.10.00-6	Other bars and rods of iron or non-alloy steel, of rectangular (other than square) cross-section, containing by weight less than 0.25% of carbon
7214.91.20.00-4	Other bars and rods of iron or non-alloy steel, of rectangular (other than square) cross-section, containing by weight 0.25% or more but less than 0.6% of carbon
7214.91.30.00-2	Other bars and rods of iron or non-alloy steel, of rectangular (other than square) cross-section, containing by weight 0.6% or more of carbon
7214.99.10.10-6	Other bars and rods of iron or non-alloy steel, of circular cross-section measuring less than 14 mm in diameter, containing by weight less than 0.25% of carbon
7214.99.10.20-4	Other bars and rods of iron or non-alloy steel, of circular cross-section measuring 14 mm or more but less than 42 mm in diameter, containing by weight less than 0.25% of carbon
7214.99.10.30-2	Other bars and rods of iron or non-alloy steel, of circular cross-section measuring 42 mm or more but less than 70 mm in diameter, containing by weight less than 0.25% of carbon
7214.99.10.40-0	Other bars and rods of iron or non-alloy steel, of circular cross-section measuring 70 mm or more in diameter, containing by weight less than 0.25% of carbon
7214.99.10.90-9	Other bars and rods of iron or non-alloy steel, containing by weight less than 0.25% of carbon
7214.99.20.10-4	Other bars and rods of iron or non-alloy steel, of circular cross-section measuring less than 14 mm in diameter, containing by weight 0.25% or more but less than 0.6% of carbon
7214.99.20.20-2	Other bars and rods of iron or non-alloy steel, of circular cross-section measuring 14 mm or more but less than 42 mm in diameter, containing by weight 0.25% or more but less than 0.6% of carbon
7214.99.20.30-0	Other bars and rods of iron or non-alloy steel, of circular cross-section measuring 42 mm or more but less than 70 mm in diameter, containing by weight 0.25% or more but less than 0.6% of carbon
7214.99.20.40-8	Other bars and rods of iron or non-alloy steel, of circular cross-section measuring 70 mm or more in diameter, containing by weight 0.25% or more but less than 0.6% of carbon
7214.99.20.90-7	Other bars and rods of iron or non-alloy steel, containing by weight 0.25% or more but less than 0.6% of carbon
7214.99.30.10-2	Other bars and rods of iron or non-alloy steel, of circular cross-section measuring less than 14 mm in diameter, containing by weight 0.6% or more of carbon
7214.99.30.20-0	Other bars and rods of iron or non-alloy steel, of circular cross-section measuring 14 mm or more but less than 42 mm in diameter, containing by weight 0.6% or more of carbon
7214.99.30.30-8	Other bars and rods of iron or non-alloy steel, of circular cross-section measuring 42 mm or more but less than 70 mm in diameter, containing by weight 0.6% or more of carbon
7214.99.30.40-6	Other bars and rods of iron or non-alloy steel, of circular cross-section measuring 70 mm or more in diameter, containing by weight 0.6% or more of carbon
7214.99.30.90-5	Other bars and rods of iron or non-alloy steel, containing by weight 0.6% or more of carbon
7215.10.00.00-5	Bars and rods of free-cutting steel, not further worked than cold-formed or cold-finished
7215.50.10.00-4	Other bars and rods of iron or non-alloy steel, not further worked than cold-formed or cold-finished, containing by weight less than 0.25% of carbon
7215.50.20.00-2	Other bars and rods of iron or non-alloy steel, not further worked than cold-formed or cold-finished, containing by weight 0.25% or more but less than 0.6% of carbon
7215.50.30.00-0	Other bars and rods of iron or non-alloy steel, not further worked than cold-formed or cold-finished, containing by weight 0.6% or more of carbon
7215.90.00.00-8	Other bars and rods of iron or non-alloy steel
7216.10.00.10-2	U section of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm

C.C.C. CODE	DESCRIPTION OF GOODS
7216.10.00.20-0	I section of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm
7216.10.00.30-8	H section of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm
7216.21.00.00-1	L sections of iron or non-alloy steel
7216.22.00.00-0	T sections of iron or non-alloy steel
7216.31.00.10-7	U section of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more but not exceeding 200mm
7216.31.00.20-5	U section of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or extruded, of a height of more than 200 mm but not exceeding 400 mm
7216.31.00.30-3	U section of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or extruded, of a height of more than 400 mm
7216.32.00.10-6	I section of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more but not exceeding 200mm
7216.32.00.20-4	I section of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or extruded, of a height of more than 200 mm but not exceeding 800 mm
7216.32.00.30-2	I section of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or extruded, of a height of more than 800 mm
7216.33.00.10-5	H section of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more but not exceeding 200 mm
7216.33.00.20-3	H section of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or extruded, of a height of more than 200 mm but not exceeding 800 mm
7216.33.00.30-1	H section of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or extruded, of a height of more than 800 mm
7216.40.00.10-6	L section of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more
7216.40.00.20-4	T section of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more
7216.50.00.00-5	Other angles, shapes and sections of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or extruded
7216.61.00.00-2	Angles, shapes and sections obtained from flat-rolled products of iron or non-alloy steel, not further worked than cold-formed or cold-finished
7216.69.00.00-4	Other angles, shapes and sections of iron or non-alloy steel, not further worked than cold-formed or cold-finished
7216.91.00.00-6	Angles, shapes and sections obtained from flat-rolled products of iron or non-alloy steel, cold-formed or cold-finished
7216.99.10.00-6	Sheet pittings, of iron or non-alloy steel, not further worked
7216.99.90.00-9	Other angles, shapes and sections of iron or non-alloy steel, not further worked
7219.11.10.11-5	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, in coils, of a thickness exceeding 10 mm, under the specification of SUS 430 series
7219.11.10.19-7	Other flat-rolled products of stainless steel, hot-rolled, in coils, of a thickness exceeding 10 mm, under the specification of SUS 430 series
7219.11.10.91-8	Other flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, in coils, of a thickness exceeding 10 mm, under the specification of other SUS 400 series
7219.11.10.99-0	Other flat-rolled products of stainless steel, hot-rolled, in coils, of a thickness exceeding 10 mm, under the specification of other SUS 400 series

C.C.C. CODE	DESCRIPTION OF GOODS
7219.11.90.21-6	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, in coils, of a thickness exceeding 10 mm, under the specification of SUS 316 series
7219.11.90.29-8	Other flat-rolled products of stainless steel, hot-rolled, in coils, of a thickness exceeding 10 mm, under the specification of SUS 316 series
7219.11.90.31-4	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, in coils, of a thickness exceeding 10 mm, under the specification of SUS 304 series
7219.11.90.39-6	Other flat-rolled products of stainless steel, hot-rolled, in coils, of a thickness exceeding 10 mm, under the specification of SUS 304 series
7219.11.90.41-2	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, in coils, of a thickness exceeding 10 mm, under the specification of SUS 300 series
7219.11.90.49-4	Other flat-rolled products of stainless steel, hot-rolled, in coils, of a thickness exceeding 10 mm, under the specification of other SUS 300 series
7219.11.90.91-1	Other flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, in coils, of a thickness exceeding 10 mm
7219.11.90.99-3	Other flat-rolled products of stainless steel, hot-rolled, in coils, of a thickness exceeding 10 mm
7219.12.10.11-4	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, in coils, of a thickness of 4.75 mm or more but not exceeding 10 mm, under the specification of SUS 430 series
7219.12.10.19-6	Other flat-rolled products of stainless steel, hot-rolled, in coils, of a thickness of 4.75 mm or more but not exceeding 10 mm, under the specification of SUS 430 series
7219.12.10.91-7	Other flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, in coils, of a thickness of 4.75 mm or more but not exceeding 10 mm, under the specification of other SUS 400 series
7219.12.10.99-9	Other flat-rolled products of stainless steel, hot-rolled, in coils, of a thickness of 4.75 mm or more but not exceeding 10 mm, under the specification of other SUS 400 series
7219.12.90.21-5	Flat-rolled products of stainless steel, hot-rolled, without annealed and pickled, in coils, of a thickness of 4.75 mm or more but not exceeding 10 mm, under the specification of SUS 316 seriesFlat-rolled products
7219.12.90.29-7	Flat-rolled products of stainless steel, hot-rolled, in coils, of a thickness of 4.75 mm or more but not exceeding 10 mm, under the specification of SUS 316 series
7219.12.90.31-3	Flat-rolled products of stainless steel, hot-rolled, without annealed and pickled, in coils, of a thickness of 4.75 mm or more but not exceeding 10 mm, under the specification of SUS 304 series
7219.12.90.39-5	Flat-rolled products of stainless steel, hot-rolled, in coils, of a thickness of 4.75 mm or more but not exceeding 10 mm, under the specification of SUS 304 series
7219.12.90.41-1	Flat-rolled products of stainless steel, hot-rolled, without annealed and pickled, in coils, of a thickness of 4.75 mm or more but not exceeding 10 mm, under the specification of other SUS 300 series
7219.12.90.49-3	Flat-rolled products of stainless steel, hot-rolled, in coils, of a thickness of 4.75 mm or more but not exceeding 10 mm, under the specification of other SUS 300 series
7219.12.90.91-0	Other flat-rolled products of stainless steel, hot-rolled, without annealed and pickled, in coils, of a thickness of 4.75 mm or more but not exceeding 10 mm
7219.12.90.99-2	Other flat-rolled products of stainless steel, hot-rolled, in coils, of a thickness of 4.75 mm or more but not exceeding 10 mm
7219.13.10.11-3	Flat-rolled products of stainless steel, hot-rolled, without annealed and pickled in coils, of a thickness of 3 mm or more but less than 4.75 mm, under the specification of SUS 430 series
7219.13.10.19-5	Flat-rolled products of stainless steel, hot-rolled, with annealed and pickled, in coils, of a thickness of 3 mm or more but less than 4.75 mm, under the specification of SUS 430 series

C.C.C. CODE	DESCRIPTION OF GOODS
7219.13.10.91-6	Flat-rolled products of stainless steel, hot-rolled, without annealed and pickled in coils, of a thickness of 3 mm or more but less than 4.75 mm, under the specification of other SUS 400 series
7219.13.10.99-8	Flat-rolled products of stainless steel, hot-rolled, in coils, of a thickness of 3 mm or more but less than 4.75 mm, under the specification of other SUS 400 series
7219.13.90.21-4	Flat-rolled products of stainless steel, hot-rolled, without annealed and pickled in coils, of a thickness of 3 mm or more but less than 4.75 mm under the specification of SUS 316 series
7219.13.90.29-6	Flat-rolled products of stainless steel, hot-rolled, in coils, of a thickness of 3 mm or more but less than 4.75 mm under the specification of SUS 316 series
7219.13.90.31-2	Flat-rolled products of stainless steel, hot-rolled, without annealed and pickled in coils, of a thickness of 3 mm or more but less than 4.75 mm under the specification of SUS 304 series
7219.13.90.39-4	Flat-rolled products of stainless steel, hot-rolled, in coils, of a thickness of 3 mm or more but less than 4.75 mm under the specification of SUS 304 series
7219.13.90.41-0	Flat-rolled products of stainless steel, hot-rolled, without annealed and pickled in coils, of a thickness of 3 mm or more but less than 4.75 mm under the specification of other SUS 300 series
7219.13.90.49-2	Flat-rolled products of stainless steel, hot-rolled, in coils, of a thickness of 3 mm or more but less than 4.75 mm under the specification of other SUS 300 series
7219.13.90.91-9	Other flat-rolled products of stainless steel, hot-rolled, without annealed and pickled in coils, of a thickness of 3 mm or more but less than 4.75 mm
7219.13.90.99-1	Other flat-rolled products of stainless steel, hot-rolled, in coils, of a thickness of 3 mm or more but less than 4.75 mm
7219.14.10.11-2	Flat-rolled products of stainless steel, hot-rolled, without annealed and pickled in coils, of a thickness of less than 3 mm, under the specification of SUS 430 series
7219.14.10.19-4	Flat-rolled products of stainless steel, hot-rolled, in coils, of a thickness of less than 3 mm, under the specification of SUS 430 series
7219.14.10.91-5	Flat-rolled products of stainless steel, hot-rolled, without annealed and pickled in coils, of a thickness of less than 3 mm, under the specification of other SUS 400 series
7219.14.10.99-7	Flat-rolled products of stainless steel, hot-rolled, in coils, of a thickness of less than 3 mm, under the specification of other SUS 400 series
7219.14.90.21-3	Flat-rolled products of stainless steel, hot-rolled, without annealed and pickled in coils, of a thickness of less than 3 mm, under the specification of SUS 316 series
7219.14.90.29-5	Flat-rolled products of stainless steel, hot-rolled, in coils, of a thickness of less than 3 mm, under the specification of SUS 316 series
7219.14.90.31-1	Flat-rolled products of stainless steel, hot-rolled, without annealed and pickled in coils, of a thickness of less than 3 mm, under the specification of SUS 304 series
7219.14.90.39-3	Flat-rolled products of stainless steel, hot-rolled, in coils, of a thickness of less than 3 mm, under the specification of SUS 304 series
7219.14.90.41-9	Flat-rolled products of stainless steel, hot-rolled, without annealed and pickled in coils, of a thickness of less than 3 mm, under the specification of other SUS 300 series
7219.14.90.49-1	Flat-rolled products of stainless steel, hot-rolled, in coils, of a thickness of less than 3 mm, under the specification of other SUS 300 series
7219.14.90.91-8	Other flat-rolled products of stainless steel, hot-rolled, without annealed and pickled in coils, of a thickness of less than 3 mm
7219.14.90.99-0	Other flat-rolled products of stainless steel, hot-rolled, in coils, of a thickness of less than 3 mm
7219.21.10.11-3	Flat-rolled products of stainless steel, hot-rolled, without annealed and pickled not in coils, of a thickness exceeding 10 mm, under the specification of SUS 430 series

C.C.C. CODE	DESCRIPTION OF GOODS
7219.21.10.19-5	Flat-rolled products of stainless steel, hot-rolled, not in coils, of a thickness exceeding 10 mm, under the specification of SUS 430 series
7219.21.10.91-6	Flat-rolled products of stainless steel, hot-rolled, without annealed and pickled not in coils, of a thickness exceeding 10 mm, under the specification of other SUS 400 series
7219.21.10.99-8	Flat-rolled products of stainless steel, hot-rolled, not in coils, of a thickness exceeding 10 mm, under the specification of other SUS 400 series
7219.21.90.21-4	Flat-rolled products of stainless steel, hot-rolled, without annealed and pickled not in coils, of a thickness exceeding 10 mm, under the specification of SUS 316 series
7219.21.90.29-6	Flat-rolled products of stainless steel, hot-rolled, not in coils, of a thickness exceeding 10 mm, under the specification of SUS 316 series
7219.21.90.31-2	Flat-rolled products of stainless steel, hot-rolled, without annealed and pickled not in coils, of a thickness exceeding 10 mm, under the specification of SUS 304 series
7219.21.90.39-4	Flat-rolled products of stainless steel, hot-rolled, not in coils, of a thickness exceeding 10 mm, under the specification of SUS 304 series
7219.21.90.41-0	Flat-rolled products of stainless steel, hot-rolled, without annealed and pickled not in coils, of a thickness exceeding 10 mm, under the specification of other SUS 300 series
7219.21.90.49-2	Flat-rolled products of stainless steel, hot-rolled, not in coils, of a thickness exceeding 10 mm, under the specification of other SUS 300 series
7219.21.90.91-9	Other flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, not in coils, of a thickness exceeding 10 mm
7219.21.90.99-1	Other flat-rolled products of stainless steel, hot-rolled, not in coils, of a thickness exceeding 10 mm
7219.22.10.11-2	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, not in coils, of a thickness of 4.75 mm or more but not exceeding 10 mm, under the specification of SUS 430 series
7219.22.10.19-4	Other flat-rolled products of stainless steel, hot-rolled, not in coils, of a thickness of 4.75 mm or more but not exceeding 10 mm, under the specification of SUS 430 series
7219.22.10.91-5	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, not in coils, of a thickness of 4.75 mm or more but not exceeding 10 mm, under the specification of other SUS 400 series
7219.22.10.99-7	Other flat-rolled products of stainless steel, hot-rolled, not in coils, of a thickness of 4.75 mm or more but not exceeding 10 mm, under the specification of other SUS 400 series
7219.22.90.21-3	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, not in coils, of a thickness of 4.75 mm or more but not exceeding 10 mm, under the specification of SUS 316 series
7219.22.90.29-5	Other flat-rolled products of stainless steel, hot-rolled, not in coils, of a thickness of 4.75 mm or more but not exceeding 10 mm, under the specification of SUS 316 series
7219.22.90.31-1	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, not in coils, of a thickness of 4.75 mm or more but not exceeding 10 mm, under the specification of SUS 304 series
7219.22.90.39-3	Other flat-rolled products of stainless steel, hot-rolled, not in coils, of a thickness of 4.75 mm or more but not exceeding 10 mm, under the specification of SUS 304 series
7219.22.90.41-9	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, not in coils, of a thickness of 4.75 mm or more but not exceeding 10 mm, under the specification of other SUS 300 series
7219.22.90.49-1	Other flat-rolled products of stainless steel, hot-rolled, not in coils, of a thickness of 4.75 mm or more but not exceeding 10 mm, under the specification of other SUS 300 series
7219.22.90.91-8	Other flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, not in coils, of a thickness of 4.75 mm or more but not exceeding 10 mm



C.C.C. CODE	DESCRIPTION OF GOODS
7219.22.90.99-0	Other flat-rolled products of stainless steel, hot-rolled, not in coils, of a thickness of 4.75 mm or more but not exceeding 10 mm
7219.23.10.11-1	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, not in coils, of a thickness of 3 mm or more but less than 4.75 mm, under the specification of SUS 430 series
7219.23.10.19-3	Other flat-rolled products of stainless steel, hot-rolled, not in coils, of a thickness of 3 mm or more but less than 4.75 mm, under the specification of SUS 430 series
7219.23.10.91-4	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, not in coils, of a thickness of 3 mm or more but less than 4.75 mm, under the specification of other SUS 400 series
7219.23.10.99-6	Other flat-rolled products of stainless steel, hot-rolled, not in coils, of a thickness of 3 mm or more but less than 4.75 mm, under the specification of other SUS 400 series
7219.23.90.21-2	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, not in coils, of a thickness of 3 mm or more but less than 4.75 mm, under the specification of other SUS 316 series
7219.23.90.29-4	Other flat-rolled products of stainless steel, hot-rolled, not in coils, of a thickness of 3 mm or more but less than 4.75 mm, under the specification of other SUS 316 series
7219.23.90.31-0	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, not in coils, of a thickness of 3 mm or more but less than 4.75 mm, under the specification of SUS 304 series
7219.23.90.39-2	Other flat-rolled products of stainless steel, hot-rolled, not in coils, of a thickness of 3 mm or more but less than 4.75 mm, under the specification of SUS 304 series
7219.23.90.41-8	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, not in coils, of a thickness of 3 mm or more but less than 4.75 mm, under the specification of other SUS 300 series
7219.23.90.49-0	Other flat-rolled products of stainless steel, hot-rolled, not in coils, of a thickness of 3 mm or more but less than 4.75 mm, under the specification of other SUS 300 series
7219.23.90.91-7	Other flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, not in coils, of a thickness of 3 mm or more but less than 4.75 mm
7219.23.90.99-9	Other flat-rolled products of stainless steel, hot-rolled, not in coils, of a thickness of 3 mm or more but less than 4.75 mm
7219.24.10.11-0	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, not in coils, of a thickness of less than 3 mm, under the specification of SUS 430 series
7219.24.10.19-2	Other flat-rolled products of stainless steel, hot-rolled, not in coils, of a thickness of less than 3 mm, under the specification of SUS 430 series
7219.24.10.91-3	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, not in coils, of a thickness of less than 3 mm, under the specification of other SUS 400 series
7219.24.10.99-5	Other flat-rolled products of stainless steel, hot-rolled, not in coils, of a thickness of less than 3 mm, under the specification of other SUS 400 series
7219.24.90.21-1	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, not in coils, of a thickness of less than 3 mm, under the specification of SUS 316 series
7219.24.90.29-3	Other flat-rolled products of stainless steel, hot-rolled, not in coils, of a thickness of less than 3 mm, under the specification of SUS 316 series
7219.24.90.31-9	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, not in coils, of a thickness of less than 3 mm, under the specification of SUS 304 series
7219.24.90.39-1	Other flat-rolled products of stainless steel, hot-rolled, not in coils, of a thickness of less than 3 mm, under the specification of SUS 304 series
7219.24.90.41-7	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, not in coils, of a thickness of less than 3 mm, under the specification of other SUS 300 series
7219.24.90.49-9	Other flat-rolled products of stainless steel, hot-rolled, not in coils, of a thickness of less than 3 mm, under the specification of other SUS 300 series

C.C.C. CODE	DESCRIPTION OF GOODS
7219.24.90.91-6	Other flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, not in coils, of a thickness of less than 3 mm
7219.24.90.99-8	Other flat-rolled products of stainless steel, hot-rolled, not in coils, of a thickness of less than 3 mm
7219.31.10.10-2	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness of 4.75 mm or more, under the specification of SUS 430 series
7219.31.10.90-5	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness of 4.75 mm or more, under the specification of other SUS 400 series
7219.31.90.11-4	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness of 4.75 mm or more under the specification of SUS 316series
7219.31.90.12-3	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness of 4.75 mm or more under the specification of SUS 304 series
7219.31.90.19-6	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness of 4.75 mm or more under the specification of other SUS 300 series
7219.31.90.90-8	Other flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness of 4.75 mm or more
7219.32.10.10-1	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness of 3 mm or more but less than 4.75 mm, under the specification of SUS 430 series
7219.32.10.90-4	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness of 3 mm or more but less than 4.75 mm, under the specification of other SUS 400 series
7219.32.90.11-3	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness of 3 mm or more but less than 4.75 mm, under the specification of SUS 316 series
7219.32.90.12-2	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness of 3 mm or more but less than 4.75 mm, under the specification of SUS 304 series
7219.32.90.19-5	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness of 3 mm or more but less than 4.75 mm, under the specification of other SUS 300 series
7219.32.90.90-7	Other flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness of 3 mm or more but less than 4.75 mm
7219.33.10.10-0	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness exceeding 1 mm but less than 3 mm, under the specification of SUS 430 series
7219.33.10.90-3	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness exceeding 1 mm but less than 3 mm, under the specification of other SUS 400 series
7219.33.90.11-2	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness exceeding 1 mm but less than 3 mm, under the specification of SUS 316 series
7219.33.90.12-1	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness exceeding 1 mm but less than 3 mm, under the specification of SUS 304 series
7219.33.90.19-4	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness exceeding 1 mm but less than 3 mm, under the specification of other SUS 300 series
7219.33.90.90-6	Other flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness exceeding 1 mm but less than 3 mm
7219.34.10.10-9	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness of 0.5 mm or more but not exceeding 1 mm, under the specification of SUS 430 series
7219.34.10.90-2	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness of 0.5 mm or more but not exceeding 1 mm, under the specification of other SUS 400 series
7219.34.90.11-1	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness of 0.5 mm or more but not exceeding 1 mm, under the specification of SUS 316 series
7219.34.90.12-0	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness of 0.5 mm or more but not exceeding 1 mm, under the specification of SUS 304 series

C.C.C. CODE	DESCRIPTION OF GOODS
7219.34.90.19-3	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness of 0.5 mm or more but not exceeding 1 mm, under the specification of other SUS 300 series
7219.34.90.90-5	Other flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness of 0.5 mm or more but not exceeding 1 mm
7219.35.10.10-8	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness of less than 0.5 mm, under the specification of SUS 430 series
7219.35.10.90-1	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness of less than 0.5 mm, under the specification of other SUS 400 series
7219.35.90.11-0	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness of less than 0.5 mm, under the specification of SUS 316 series
7219.35.90.12-9	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness of less than 0.5 mm, under the specification of SUS 304 series
7219.35.90.19-2	Flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness of less than 0.5 mm, under the specification of other SUS 300 series
7219.35.90.90-4	Other flat-rolled products of stainless steel, cold-rolled (cold-reduced), of a thickness of less than 0.5 mm
7219.90.00.00-4	Other flat-rolled products of stainless steel, of a width of 600 mm or more
7220.11.10.11-2	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, of a width of less than 600 mm, of a thickness of 4.75 mm or more, under the specification of SUS 430 series
7220.11.10.19-4	Other flat-rolled products of stainless steel, hot-rolled, of a width of less than 600 mm, of a thickness of 4.75 mm or more, under the specification of SUS 430 series
7220.11.10.91-5	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, of a width of less than 600 mm, of a thickness of 4.75 mm or more, under the specification of other SUS 400
7220.11.10.99-7	Other flat-rolled products of stainless steel, hot-rolled, of a width of less than 600 mm, of a thickness of 4.75 mm or more, under the specification of other SUS 400 series
7220.11.90.21-3	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, of a width of less than 600 mm, of a thickness of 4.75 mm or more, under the specification of SUS 316 series
7220.11.90.29-5	Other flat-rolled products of stainless steel, hot-rolled, of a width of less than 600 mm, of a thickness of 4.75 mm or more, under the specification of SUS 316 series
7220.11.90.31-1	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, of a width of less than 600 mm, of a thickness of 4.75 mm or more, under the specification of SUS 304 series
7220.11.90.39-3	Other flat-rolled products of stainless steel, hot-rolled, of a width of less than 600 mm, of a thickness of 4.75 mm or more, under the specification of SUS 304 series
7220.11.90.41-9	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, of a width of less than 600 mm, of a thickness of 4.75 mm or more, under the specification of other SUS 300 series
7220.11.90.49-1	Other flat-rolled products of stainless steel, hot-rolled, of a width of less than 600 mm, of a thickness of 4.75 mm or more, under the specification of other SUS 300 series
7220.11.90.91-8	Other flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, of a width of less than 600 mm, of a thickness of 4.75 mm or more
7220.11.90.99-0	Other flat-rolled products of stainless steel, hot-rolled, of a width of less than 600 mm, of a thickness of 4.75 mm or more
7220.12.10.11-1	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, of a width of less than 600 mm, of a thickness of less than 4.75 mm, under the specification of SUS 430 series
7220.12.10.19-3	Other flat-rolled products of stainless steel, hot-rolled, of a width of less than 600 mm, of a thickness of less than 4.75 mm, under the specification of SUS 430 series
7220.12.10.91-4	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, of a width of less than 600 mm, of a thickness of less than 4.75 mm, under the specification of other SUS 400

C.C.C. CODE	DESCRIPTION OF GOODS
	series
7220.12.10.99-6	Other flat-rolled products of stainless steel, hot-rolled, of a width of less than 600 mm, of a thickness of less than 4.75 mm, under the specification of other SUS 400 series
7220.12.90.21-2	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, of a width of less than 600 mm, of a thickness of less than 4.75 mm, under the specification of SUS 316 series
7220.12.90.29-4	Other flat-rolled products of stainless steel, hot-rolled, of a width of less than 600 mm, of a thickness of less than 4.75 mm, under the specification of SUS 316 series
7220.12.90.31-0	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, of a width of less than 600 mm, of a thickness of less than 4.75 mm, under the specification of SUS 304 series
7220.12.90.39-2	Other flat-rolled products of stainless steel, hot-rolled, of a width of less than 600 mm, of a thickness of less than 4.75 mm, under the specification of SUS 304 series
7220.12.90.41-8	Flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, of a width of less than 600 mm, of a thickness of less than 4.75 mm, under the specification of other SUS 300 series
7220.12.90.49-0	Other flat-rolled products of stainless steel, hot-rolled, of a width of less than 600 mm, of a thickness of less than 4.75 mm, under the specification of other SUS 300 series
7220.12.90.91-7	Other flat-rolled products of stainless steel, hot-rolled, not annealed and pickled, of a width of less than 600 mm, of a thickness of less than 4.75 mm
7220.12.90.99-9	Other flat-rolled products of stainless steel, hot-rolled, of a width of less than 600 mm, of a thickness of less than 4.75 mm
7220.20.10.10-2	Flat-rolled products of stainless steel, of a width of less than 600 mm, not further worked than cold-rolled (cold-reduced), under the specification of SUS 430 series
7220.20.10.90-5	Flat-rolled products of stainless steel, of a width of less than 600 mm, not further worked than cold-rolled (cold-reduced) under the specification of other SUS 400 series
7220.20.90.11-4	Flat-rolled products of stainless steel, of a width of less than 600 mm, not further worked than cold-rolled (cold-reduced), under the specification of SUS 316 series
7220.20.90.12-3	Flat-rolled products of stainless steel, of a width of less than 600 mm, not further worked than cold-rolled (cold-reduced), under the specification of SUS 304 series
7220.20.90.19-6	Flat-rolled products of stainless steel, of a width of less than 600 mm, not further worked than cold-rolled (cold-reduced), under the specification of other SUS 300 series
7220.20.90.90-8	Other flat-rolled products of stainless steel, of a width of less than 600 mm, not further worked than cold-rolled (cold-reduced)
7220.90.10.10-7	Flat-rolled products of other stainless steel, of a width of less than 600 mm, under the specification of SUS 430 series
7220.90.10.90-0	Flat-rolled products of other stainless steel, of a width of less than 600 mm, under the specification of other SUS 400 series
7220.90.90.11-9	Flat-rolled products of other stainless steel, of a width of less than 600 mm, under the specification of SUS 316 series
7220.90.90.12-8	Flat-rolled products of other stainless steel, of a width of less than 600 mm, under the specification of SUS 304 series
7220.90.90.19-1	Flat-rolled products of other stainless steel, of a width of less than 600 mm, under the specification of other SUS 300 series
7220.90.90.90-3	Other flat-rolled products of other stainless steel, of a width of less than 600 mm
7221.00.00.11-6	Bars and rods, hot-rolled of stainless steel, in irregularly wound coils of a diameter of 5.5 mm or more but less than 14 mm, under the specification of SUS 430 series
7221.00.00.12-5	Bars and rods, hot-rolled of stainless steel, in irregularly wound coils of a diameter of 5.5 mm or more but less than 14 mm, under the specification of SUS 410 series

C.C.C. CODE	DESCRIPTION OF GOODS
7221.00.00.19-8	Bars and rods, hot-rolled of stainless steel, in irregularly wound coils of a diameter of 5.5 mm or more but less than 14 mm, under the specification of other SUS 400 series
7221.00.00.21-4	Bars and rods, hot-rolled of stainless steel, in irregularly wound coils of a diameter of 5.5 mm or more but less than 14 mm, under the specification of SUS 316 series
7221.00.00.22-3	Bars and rods, hot-rolled of stainless steel, in irregularly wound coils of a diameter of 5.5 mm or more but less than 14 mm, under the specification of SUS 304 series
7221.00.00.29-6	Other bars and rods, hot-rolled of stainless steel, in irregularly wound coils of a diameter of 5.5 mm or more but less than 14 mm
7221.00.00.31-2	Bars and rods, hot-rolled of stainless steel, in irregularly wound coils of a diameter of 14 mm or more but less than 35 mm, under the specification of SUS 430 series
7221.00.00.32-1	Bars and rods, hot-rolled of stainless steel, in irregularly wound coils of a diameter of 14 mm or more but less than 35 mm, under the specification of SUS 410 series
7221.00.00.39-4	Bars and rods, hot-rolled of stainless steel, in irregularly wound coils of a diameter of 14 mm or more but less than 35 mm, under the specification of other SUS 400 series
7221.00.00.41-0	Bars and rods, hot-rolled of stainless steel, in irregularly wound coils of a diameter of 14 mm or more but less than 35 mm, under the specification of SUS 316 series
7221.00.00.42-9	Bars and rods, hot-rolled of stainless steel, in irregularly wound coils of a diameter of 14 mm or more but less than 35 mm, under the specification of SUS 304 series
7221.00.00.49-2	Other bars and rods, hot-rolled of stainless steel, in irregularly wound coils of a diameter of 14 mm or more but less than 35 mm
7221.00.00.51-7	Bars and rods, hot-rolled of stainless steel, in irregularly wound coils of a diameter of 35 mm or more, under the specification of SUS 430 series
7221.00.00.52-6	Bars and rods, hot-rolled of stainless steel, in irregularly wound coils of a diameter of 35 mm or more, under the specification of SUS 410 series
7221.00.00.59-9	Bars and rods, hot-rolled of stainless steel, in irregularly wound coils of a diameter of 35 mm or more, under the specification of other SUS 400 series
7221.00.00.61-5	Bars and rods, hot-rolled of stainless steel, in irregularly wound coils of a diameter of 35 mm or more, under the specification of SUS 316 series
7221.00.00.62-4	Bars and rods, hot-rolled of stainless steel, in irregularly wound coils of a diameter of 35 mm or more, under the specification of SUS 304 series
7221.00.00.69-7	Other bars and rods, hot-rolled of stainless steel, in irregularly wound coils of a diameter of 35 mm or more
7222.11.00.11-2	Bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, of circular cross-section measuring less than 14 mm in diameter, under the specification of SUS 430 series
7222.11.00.12-1	Bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, of circular cross-section measuring less than 14 mm in diameter, under the specification of SUS 410 series
7222.11.00.19-4	Bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, of circular cross-section measuring less than 14 mm in diameter, under the specification of other SUS 400 series
7222.11.00.21-0	Bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, of circular cross-section measuring less than 14 mm in diameter, under the specification of SUS 316 series
7222.11.00.22-9	Bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, of circular cross-section measuring less than 14 mm in diameter, under the specification of SUS 304 series
7222.11.00.29-2	Other bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn, or extruded, of circular cross-section measuring less than 14 mm in diameter

C.C.C. CODE	DESCRIPTION OF GOODS
7222.11.00.31-8	Bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, of circular cross-section measuring 14 mm or more but less than 80 mm in diameter, under the specification of SUS 430 series
7222.11.00.32-7	Bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, of circular cross-section measuring 14 mm or more but less than 80 mm in diameter, under the specification of SUS 410 series
7222.11.00.39-0	Bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, of circular cross-section measuring 14 mm or more but less than 80 mm in diameter, under the specification of other SUS 400 series
7222.11.00.41-6	Bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, of circular cross-section measuring 14 mm or more but less than 80 mm in diameter, under the specification of SUS 316 series
7222.11.00.42-5	Bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, of circular cross-section measuring 14 mm or more but less than 80 mm in diameter, under the specification of SUS 304 series
7222.11.00.49-8	Other bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, of circular cross-section measuring 14 mm or more but less than 80 mm in diameter
7222.11.00.51-3	Bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, of circular cross-section measuring 80 mm or more in diameter, under the specification of SUS 430 series
7222.11.00.52-2	Bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, of circular cross-section measuring 80 mm or more in diameter, under the specification of SUS 410 series
7222.11.00.59-5	Bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, of circular cross-section measuring 80 mm or more in diameter, under the specification of other SUS 400 series
7222.11.00.61-1	Bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, of circular cross-section measuring 80 mm or more in diameter, under the specification of SUS 316 series
7222.11.00.62-0	Bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, of circular cross-section measuring 80 mm or more in diameter, under the specification of SUS 304 series
7222.11.00.69-3	Other bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, of circular cross-section measuring 80 mm or more in diameter
7222.19.00.11-4	Other bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, under the specification of SUS 430 series
7222.19.00.12-3	Other bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, under the specification of SUS 410 series
7222.19.00.19-6	Other bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, under the specification of other SUS 400 series
7222.19.00.21-2	Other bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, under the specification of SUS 316 series
7222.19.00.22-1	Other bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded, under the specification of SUS 304 series
7222.19.00.29-4	Other bars and rods of stainless steel, not further worked than hot-rolled, hot-drawn or extruded
7222.20.00.11-1	Bars and rods of stainless steel, not further worked than cold-formed or cold-finished of circular cross-section measuring less than 14 mm in diameter, under the specification of SUS 430 series
7222.20.00.12-0	Bars and rods of stainless steel, not further worked than cold-formed or cold-finished of circular cross-section measuring less than 14 mm in diameter, under the specification of SUS 410 series
7222.20.00.19-3	Bars and rods of stainless steel, not further worked than cold-formed or cold-finished of circular cross-section measuring less than 14 mm in diameter, under the specification of other SUS 400 series

C.C.C. CODE	DESCRIPTION OF GOODS
7222.20.00.21-9	Bars and rods of stainless steel, not further worked than cold-formed or cold-finished of circular cross-section measuring less than 14 mm in diameter, under the specification of SUS 316 series
7222.20.00.22-8	Bars and rods of stainless steel, not further worked than cold-formed or cold-finished of circular cross-section measuring less than 14 mm in diameter, under the specification of SUS 304 series
7222.20.00.29-1	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished of circular cross-section measuring less than 14 mm in diameter
7222.20.00.31-7	Bars and rods of stainless steel, not further worked than cold-formed or cold-finished of circular cross-section measuring 14 mm or more but less than 80 mm in diameter, under the specification of SUS 430 series
7222.20.00.32-6	Bars and rods of stainless steel, not further worked than cold-formed or cold-finished of circular cross-section measuring 14 mm or more but less than 80 mm in diameter, under the specification of SUS 410 series
7222.20.00.39-9	Bars and rods of stainless steel, not further worked than cold-formed or cold-finished of circular cross-section measuring 14 mm or more but less than 80 mm in diameter, under the specification of other SUS 400 series
7222.20.00.41-5	Bars and rods of stainless steel, not further worked than cold-formed or cold-finished of circular cross-section measuring 14 mm or more but less than 80 mm in diameter, under the specification of SUS 316 series
7222.20.00.42-4	Bars and rods of stainless steel, not further worked than cold-formed or cold-finished of circular cross-section measuring 14 mm or more but less than 80 mm in diameter, under the specification of SUS 304 series
7222.20.00.49-7	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished of circular cross-section measuring 14 mm or more but less than 80 mm in diameter
7222.20.00.51-2	Bars and rods of stainless steel, not further worked than cold-formed or cold-finished of circular cross-section measuring 80 mm or more in diameter, under the specification of SUS 430 series
7222.20.00.52-1	Bars and rods of stainless steel, not further worked than cold-formed or cold-finished of circular cross-section measuring 80 mm or more in diameter, under the specification of SUS 410 series
7222.20.00.59-4	Bars and rods of stainless steel, not further worked than cold-formed or cold-finished of circular cross-section measuring 80 mm or more in diameter, under the specification of other SUS 400 series
7222.20.00.61-0	Bars and rods of stainless steel, not further worked than cold-formed or cold-finished of circular cross-section measuring 80 mm or more in diameter, under the specification of SUS 316 series
7222.20.00.62-9	Bars and rods of stainless steel, not further worked than cold-formed or cold-finished of circular cross-section measuring 80 mm or more in diameter, under the specification of SUS 304 series
7222.20.00.69-2	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished of circular cross-section measuring 80 mm or more in diameter
7222.20.00.91-4	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished, under the specification of other SUS 400 series
7222.20.00.92-3	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished, under the specification of other SUS 300 series
7222.20.00.99-6	Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished
7222.30.00.00-2	Other bars and rods of stainless steel
7222.40.00.00-0	Angles, shapes and sections of stainless steel
7227.10.00.00-1	Bars and rods, hot-rolled, in irregularly wound coils, of high speed steel
7227.20.10.00-7	Bars and rods, for welding electrodes, hot-rolled, in irregularly wound coils, of silico-manganese steel
7227.20.90.00-0	Other bars and rods, hot-rolled, in irregularly wound coils, of silico-manganese steel
7227.90.00.11-1	Bars and rods, of bearing steel (containing by weight 0.95% or more of carbon) hot-rolled, in irregularly wound coils, of a diameter of 5.5 mm or more but less than 14 mm

C.C.C. CODE	DESCRIPTION OF GOODS
7227.90.00.12-0	Bars and rods, of bearing steel (containing by weight 0.95% or more of carbon) hot-rolled, in irregularly wound coils, of a diameter of 14 mm or more but less than 35 mm
7227.90.00.13-9	Bars and rods, of bearing steel (containing by weight 0.95% or more of carbon) hot-rolled, in irregularly wound coils, of a diameter of 35 mm or more
7227.90.00.21-9	Bars and rods, of alloy spring steel (containing by weight 0.45% or more but less than 0.66% of carbon and 0.65% or more but less than 10.5% of chromium) hot-rolled, in irregularly wound coils, of a diameter of 5.5 mm or more but less than 14 mm
7227.90.00.22-8	Bars and rods, of alloy spring steel (containing by weight 0.45% or more but less than 0.66% of carbon and 0.65% or more but less than 10.5% of chromium) hot-rolled, in irregularly wound coils, of a diameter of 14 mm or more but less than 35 mm
7227.90.00.23-7	Bars and rods, of alloy spring steel (containing by weight 0.45% or more but less than 0.66% of carbon and 0.65% or more but less than 10.5% of chromium) hot-rolled, in irregularly wound coils, of a diameter of 35 mm or more
7227.90.00.90-5	Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel
7228.10.00.11-7	Bars and rods of high speed steel, not further worked than hot-rolled, hot-drawn, or extruded, of a diameter less than 14 mm, containing by weight 3% or more of molybdenum
7228.10.00.12-6	Bars and rods of high speed steel, not further worked than hot-rolled, hot-drawn, or extruded, of a diameter 14 mm or more but less than 160 mm, containing by weight 3% or more of molybdenum
7228.10.00.13-5	Bars and rods of high speed steel, not further worked than hot-rolled, hot-drawn, or extruded, of a diameter 160 mm or more, containing by weight 3% or more of molybdenum
7228.10.00.21-5	Bars and rods of high speed steel, not further worked than hot-rolled, not-drawn, or extruded, of a diameter less than 14 mm, containing by weight less than 3% of molybdenum
7228.10.00.22-4	Bars and rods of high speed steel, not further worked than hot-rolled, hot-drawn, or extruded, of a diameter 14 mm or more but less than 160 mm, containing by weight less than 3% of molybdenum
7228.10.00.23-3	Bars and rods of high speed steel, not further worked than hot-rolled, hot-drawn, or extruded, of a diameter 160 mm or more, containing by weight less than 3% of molybdenum
7228.10.00.31-3	Bars and rods of high speed steel, not further worked than cold-formed, cold-finished of a diameter less than 14 mm, containing by weight 3% or more of molybdenum
7228.10.00.32-2	Bars and rods of high speed steel, not further worked than cold-formed, cold-finished of a diameter 14 mm or more but less than 160 mm, containing by weight 3% or more of molybdenum
7228.10.00.33-1	Bars and rods of high speed steel, not further worked than cold-formed, cold-finished of a diameter 160 mm or more, containing by weight 3% or more of molybdenum
7228.10.00.41-1	Bars and rods of high speed steel, not further worked than cold-formed, cold-finished of a diameter less than 14 mm, containing by weight less than 3% of molybdenum
7228.10.00.42-0	Bars and rods of high speed steel, not further worked than cold-formed, cold-finished of a diameter 14 mm or more but less than 160 mm, containing by weight less than 3% of molybdenum
7228.10.00.43-9	Bars and rods of high speed steel, not further worked than cold-formed, cold-finished of a diameter 160 mm or more, containing by weight less than 3% of molybdenum
7228.10.00.90-1	Other bars and rods of high speed steel
7301.10.00.00-0	Sheet piling, of iron or steel, whether or not drilled, punched or made from assembled elements
7301.20.00.00-8	Welded angles, shapes and sections, of iron or steel
7305.11.00.00-5	Tubes and pipes, longitudinally submerged arc welded, having circular cross-sections, the external diameter of which exceeds 406.4 mm, of iron or steel



C.C.C. CODE	DESCRIPTION OF GOODS
7305.12.00.00-4	Other tubes pipes, longitudinally welded, having circular cross-sections, the external diameter of which exceeds 406.4 mm, of iron or steel
7305.19.00.00-7	Other line pipe of a kind used for oil or gas pipelines, having circular cross-sections, the external diameter of which exceeds 406.4 mm, of iron or steel
7305.20.00.00-4	Casing of a kind used in drilling for oil or gas, having circular cross-sections, the external diameter of which exceeds 406.4 mm, of iron or steel
7305.31.00.00-1	Other tubes and pipes, longitudinally welded, of iron or steel
7305.39.00.00-3	Other tubes and pipes, welded, having circular cross-sections, the external diameter of which exceeds 406.4 mm, of iron or steel
7305.90.00.00-9	Other tubes and pipes, having circular cross-sections, the external diameter of which exceeds 406.4 mm, of iron or steel
7306.10.00.00-5	Line pipe of a kind used for oil or gas pipelines, of iron or steel
7306.20.00.00-3	Casing and tubing of a kind used in drilling for oil or gas, of iron or steel
7306.30.00.00-1	Other (welded pipe, of circular cross-section, of iron or non-alloy steel)
7306.40.00.00-9	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel
7306.50.00.00-6	Other tubes, pipes and hollow profiles, welded, of circular cross-section, of other alloy steel
7306.60.00.00-4	Other tubes, pipes and hollow profiles, welded, of non-circular cross-section, of other alloy steel
7306.90.10.00-6	Tubes and pipes of alloy molybdenum chromium steel
7306.90.90.00-9	Other tubes, pipes and hollow profiles, of iron or steel