

ANNEX I

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method.	Species or category of animal	Maximum age	Minimum content	Maximum content	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg guanidinoacetic acid/kg of complete feed with a moisture content of 12 %	mg guanidinoacetic acid/l of water for drinking				
Category: Zootechnical additives. Functional group: other zootechnical additives (improvement of performance parameters)											
4d372	Alzchem Trostberg GmbH	Guanidinoacetic acid	Additive composition: Guanidinoacetic acid 98% on a dry matter basis Solid form Characterisation of the active substance: Guanidinoacetic acid produced by chemical synthesis Chemical formula: C ₃ H ₇ N ₃ O ₂ CAS number: 352-97-6 Purity: 98% Impurities :	Chickens reared for laying and for breeding	-	600	1200	300	600	1. The moisture content shall be indicated on the labelling of the additive. 2. The additive may be used via water for drinking. 3. In the directions for use of the additive and premixtures, the storage conditions, the stability to heat treatment and the stability in water for	<i>[10 years from the date of entry into force of this Regulation.</i> <i>To be completed by the Service responsible for the publication]</i>

			<p>— maximum cyanamide content 0,03 % ; — maximum dicyandiamide content 0,5 %.</p> <p>Analytical method¹: For the determination of guanidinoacetic acid in the compound feed and water: ion chromatography coupled with ultraviolet detection (IC-UV).</p>							<p>drinking shall be indicated.</p> <p>4. When using the additive, attention shall be paid to the supply with vitamin B₁₂ and methyl donors other than methionine in the diet of the animal.</p> <p>5. Simultaneous use of this additive in water for drinking and in feed is not permitted.</p>	
--	--	--	--	--	--	--	--	--	--	---	--

¹ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method.	Species or category of animal	Maximum age	Minimum content	Maximum content	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg guanidinoacetic acid/kg of complete feed with a moisture content of 12 %	mg guanidinoacetic acid/l of water for drinking				
Category: Zootechnical additives. Functional group: other zootechnical additives (improvement of performance parameters)											
4d372i	Alzchem Trostberg GmbH	Guanidinoacetic acid	Additive composition: Preparation containing a minimum of 96 % of guanidinoacetic acid. Solid form Characterisation of the active substance: Guanidinoacetic acid produced by chemical synthesis Chemical formula: C ₃ H ₇ N ₃ O ₂ CAS number: 352-97-6 Purity: 98% Impurities:	Chickens reared for laying and for breeding	-	600	1200	300	600	1. The moisture content shall be indicated on the labelling of the additive. 2. The additive may be used via water for drinking. 3. In the directions for use of the additive and premixtures, the storage conditions, the stability to heat treatment and the stability in water for drinking shall be indicated.	[10 years from the date of entry into force of this Regulation. To be completed by the Service responsible for the publication]

			<p>— maximum cyanamide content 0,03 % ; — maximum dicyandiamide content 0,5 %.</p> <p>Analytical method²: For the determination of guanidinoacetic acid in the compound feed and water: ion chromatography coupled with ultraviolet detection (IC-UV).</p>							<p>4. When using the additive, attention shall be paid to the supply with vitamin B₁₂ and methyl donors other than methionine in the diet of the animal.</p> <p>5. Simultaneous use of this additive in water for drinking and in feed is not permitted.</p>	
--	--	--	--	--	--	--	--	--	--	---	--

² Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method.	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg guanidinoacetic acid/l of water for drinking			
Category: Zootechnical additives. Functional group: other zootechnical additives (improvement of performance parameters)									
4d372	Alzchem Trostberg GmbH	Guanidin oacetic acid	Additive composition: Guanidinoacetic acid 98% on a dry matter basis	Chickens for fattening	-	300	600	1. The moisture content shall be indicated on the labelling of the additive. 2. The additive may be used via water for drinking. 3. In the directions for use of the additive and premixtures, the storage conditions, the stability to heat treatment and the stability in water for drinking shall be indicated. 4. When using the additive, attention shall be	[10 years from the date of entry into force of this Regulation. To be completed by the Service responsible for the publication]
			Solid form						
			Characterisation of the active substance: Guanidinoacetic acid produced by chemical synthesis Chemical formula: C ₃ H ₇ N ₃ O ₂ CAS number: 352-97-6 Purity: 98% Impurities : — maximum cyanamide content 0,03 % ; — maximum dicyandiamide content 0,5 %.						

			Analytical method³: For the determination of guanidinoacetic acid in water: ion chromatography coupled with ultraviolet detection (IC-UV).					paid to the supply with vitamin B ₁₂ and methyl donors other than methionine in the diet of the animal. 5. Simultaneous use of this additive in water for drinking and in feed is not permitted.	
--	--	--	---	--	--	--	--	--	--

³ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method.	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg guanidinoacetic acid/l of water for drinking			
Category: Zootechnical additives. Functional group: other zootechnical additives (improvement of performance parameters)									
4d372i	Alzchem Trostberg GmbH	Guanidinoacetic acid	Additive composition:	Chickens for fattening	-	300	600	1. The moisture content shall be indicated on the labelling of the additive. 2. The additive may be used via water for drinking. 3. In the directions for use of the additive and premixtures, the storage conditions, the stability to heat treatment and the stability in water for drinking shall be indicated. 4. When using the additive, attention shall be paid to the	[10 years from the date of entry into force of this Regulation. To be completed by the Service responsible for the publication]
			Preparation containing a minimum of 96 % of guanidinoacetic acid.						
			Solid form						
			Characterisation of the active substance:						
			Guanidinoacetic acid produced by chemical synthesis						
			Chemical formula: C ₃ H ₇ N ₃ O ₂						
			CAS number: 352-97-6						
			Purity: 98%						
			Impurities : — maximum cyanamide content 0,03 % ; — maximum dicyandiamide content 0,5 %.						

			Analytical method⁴: For the determination of guanidinoacetic acid in water: ion chromatography coupled with ultraviolet detection (IC-UV).					supply with vitamin B ₁₂ and methyl donors other than methionine in the diet of the animal. 5. Simultaneous use of this additive in water for drinking and in feed is not permitted.	
--	--	--	---	--	--	--	--	--	--

⁴ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en

ANNEX II

“

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method.	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg guanidinoacetic acid/kg of complete feed with a moisture content of 12 %			
Category: Zootechnical additives. Functional group: other zootechnical additives (improvement of performance parameters)									
4d372	Alzchem Trostberg GmbH	Guanidinoacetic acid	Additive composition: Guanidinoacetic acid 98% on dry matter basis Solid form Characterisation of the active substance: Guanidinoacetic acid produced by chemical synthesis Chemical formula: C ₃ H ₇ N ₃ O ₂ CAS number: 352-97-6 Purity: 98% Impurities: — maximum cyanamide content 0,03 %; — maximum dicyandiamide content 0,5 %.	Chickens for fattening	-	600	1200	1. The moisture content shall be indicated on the labelling of the additive. 2. In the directions for use of the additive and premixtures, the storage conditions and the stability to heat treatment shall be indicated. 3. When using the additive, attention shall be paid to the supply with vitamin B ₁₂ and methyl donors other than methionine in the diet of the animal. 4. Simultaneous use of this additive in water for drinking and in feed is not permitted.	25 October 2026
				Weaned piglets		600	1200		
				Pigs for fattening		600	1200		

			Analytical method⁵: For the determination of guanidinoacetic acid in the compound feed: ion chromatography coupled with ultraviolet detection (IC-UV).						
--	--	--	---	--	--	--	--	--	--

⁵ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method.	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg guanidinoacetic acid/kg of complete feed with a moisture content of 12 %			
Category: Zootechnical additives. Functional group: other zootechnical additives (improvement of performance parameters)									
4d372i	Alzchem Trostberg GmbH	Guanidinoacetic acid	Additive composition: Preparation containing a minimum of 96 % of guanidinoacetic acid. Solid form Characterisation of the active substance: Guanidinoacetic acid produced by chemical synthesis Chemical formula: C ₃ H ₇ N ₃ O ₂ CAS number: 352-97-6 Purity: 98% Impurities: — maximum cyanamide content 0,03 %; — maximum dicyandiamide content 0,5 %. Analytical method⁶: For the determination of	Chickens for fattening	-	600	1200	1. The moisture content shall be indicated on the labelling of the additive. 2. In the directions for use of the additive and premixtures, the storage conditions and the stability to heat treatment shall be indicated. 3. When using the additive, attention shall be paid to the supply with vitamin B ₁₂ and methyl donors other than methionine in the diet of the animal. 4. Simultaneous use of this additive in water for drinking and in feed is not permitted.	25 October 2026
				Weaned piglets		600	1200		
				Pigs for fattening		600	1200		

⁶ Details of the analytical methods are available at the following address of the Reference Laboratory: https://joint-research-centre.ec.europa.eu/eurl-fa-eurl-feed-additives/eurl-fa-authorisation/eurl-fa-evaluation-reports_en

			guanidinoacetic acid in the compound feed: ion chromatography coupled with ultraviolet detection (IC-UV).						
--	--	--	--	--	--	--	--	--	--